





Glowrail Direct



Glowrail Indirect



Glowrail

Light Your Ceiling or Table, Not Your Eyes

Finishes

● White

Lighting color temperature:

2700k CRI92 R9 90

3000k CRI92 R9 90

Materials

Body :Alumnum. Canopy: Iron ● White

Optical

UGR12,Beam angle:64down/160up

Control

NO

Height adjustment

NO


Electrician

Input 220-240V,Constant current


Glowrail Direct

Features

- 1.Ultra-Slim 25mm Body
Seamless aluminum extrusion, pure white, minimalist.
- 2.73° Low-Glare (UGR<12)
Perfect task lighting for desks, zero eye strain.
- 3.Efficient Aluminum Cooling
Stable performance even with prolonged use.



GED12 13.5W,direct, Constant current 350mA,2160lm,Beam angle:73, 0.8kg.




GED17 21W,direct, Constant current 600mA,3360lm,Beam angle:73, 1.2kg.


Glowrail Indirect

Features

- 1.25mm Invisible Design
"Light without a source" effect for clean ceilings.
- 2.160° Wide Flood Light
Even ambient glow via ceiling reflection.
- 3.Zero Direct Glare
100% uplight for ultimate visual comfort.



GEI12 28.8W,indirect, DC24V,3744lm,angle:160, 0.8kg.



GEI17 44.8W,indirect, DC24V,5824lm,Beam angle:160, 1.2kg.